

Date _____

Name _____

Client _____



Project name _____

Quote# _____

Type/Quantity _____

BOXY XL R 92720
251 71 21 921

[Weblink](#)



Beschikbare uren: ZWART-ZWART (251 71 21 921 B-B)
WIT-ZWART (251 71 21 921 W-B)
WIT-WIT (251 71 21 921 W-W)

NON ADJUSTABLE
1 x LED 16,8W / CRI>90 / 2700K / 1923lm
REFLECTOR FL-20°
INCL.DIMMABLE LED POWER SUPPLY 500mA-DC
MAINS DIMMING - TRAILING EDGE
Other CRI or KELVIN on request

LED Technics: Lichtbron: 1923 lm // 16 W // 118 lm/W
Luminaire: 1672 lm // 20 W // 87 lm/W

220-240V / 50-60Hz

Klasse: II

Gewicht: 1.5 KG
Protection level: IP20
Minimumafstand: n.v.t.


Accessoires: HONEYCOMB 78
SOFTENING LENS 78
GLASS SBL 78

Voor gedetailleerde installatie-instructies, raadpleeg de handleiding. [251 71 21 XXX HAND.pdf](#)

BOXY XL R 92720
251 71 21 921




Related references

VOORSCHAKELAPPARATUUR EN TRANSFORMATOREN



Related references

LIGHT VERANDERENDE ONDERDELEN



Gerelateerde project foto van product familie:

