

Date \_\_\_\_\_

\_\_\_\_\_

Name \_\_\_\_\_

\_\_\_\_\_

Client \_\_\_\_\_

\_\_\_\_\_

Project name \_\_\_\_\_

\_\_\_\_\_

Quote# \_\_\_\_\_



\_\_\_\_\_

Type/Quantity \_\_\_\_\_

\_\_\_\_\_

**LOGIC R AWALLWASH 930**  
213 483 811 930

[Weblink](#)



Cutout shape/size: 93 mm

Recessed depth: 125 mm

Available colors: ALU ANODIZED (213 483 811 930 ANO)  
BLACK (213 483 811 930 B)

INCL.CABLE H05 RN-F 2 x 1mm<sup>2</sup> 0,5m  
1 x LED 7,1W / CRI>90 / 3000K / 812lm  
INCL.LED POWER SUPPLY 350mA-DC  
INCL.IP68 CONNECTOR 3P  
IEC 60598-2-13 : max.150kg 25N/cm<sup>2</sup>  
ESG 5mm  
Other CRI or KELVIN on request

LED Technics: Light source: 812 lm // 7 W // 115 lm/W  
Luminaire: 503 lm // 8 W // 62 lm/W

100-240V / 50-60Hz

Class: II

Weight: 1.1 KG

Protection level: IP67

Minimum distance: n.a.

Energy Class: E


Options: GENIE BOX 90 R  
CBOX

For detailed installation instructions, please consult the manual. [213\\_483\\_811\\_XXX\\_HAND.pdf](#)

LOGIC R AWALLWASH 930  
213 483 811 930


**Related references**

**GROUND MOUNTING BOXES**



**Related references**

**WATERPROOF CONNECTION PARTS**



LOGIC R A WALLWASH 930  
213 483 811 930

Related project picture of product family:

